



# 8<sup>th</sup> Avenue Canopy Design

## Built-up Stainless Steel Doors with Painted Portal



### Door framing:

- 1/2" Offset pivot
- 316L alloy stainless steel (non-directional satin finish) with min.14 gauge frame, and 16 gauge min. face sheets;
- break-form fabrication with continuous welded intersections

### Exterior Opening Edges

Façade Granite turns the corners

### Automatic Operator Actuator

### Push/ Pull hardware:

- 1 1/4" diameter SST tube, non-directional satin finish


### Door portal:

- 3/4" thick steel with high performance polyurethane coating


### Note:

- One pair of each door entry is on-demand power operated (both egress and ingress)
- Doors can be remotely locked after -hours
- All doors on the south side are 9'-0" x 6'-0"

# Proposed Moynihan Station Sign - 8<sup>th</sup> Ave and 31<sup>st</sup> Street Entrance



# Proposed Moynihan Station Sign - 8<sup>th</sup> Ave and 33<sup>rd</sup> Street Entrance




# Proposed Moynihan Station Building Identification




**Elevation**


**Fabricated aluminum lettering**  
 - powder coated black, pin mounted and epoxied to existing wall, and backlit with LED light fixtures.



**Sectional Detail**



**31<sup>st</sup> Street Entrance**



**33<sup>rd</sup> Street Entrance**

# Proposed Moynihan Station Sign - 8<sup>th</sup> Ave and 31<sup>st</sup> Street Entrance

