

A. WATER SUPPLY

According to the *CEQR Technical Manual*, an analysis of an action's impact on the water supply system should be conducted only for actions that would have exceptionally large demand for water, such as power plants, very large cooling systems, or large developments (e.g., those that use more than 1 million gallons per day). In addition, actions located at the extremities of the water distribution system should be analyzed. The proposed project does not meet any of these criteria, and therefore an analysis of water supply is not warranted. The proposed project would not have a significant adverse impact on water supply.

B. WASTEWATER AND STORMWATER CONVEYANCE AND TREATMENT

According to the guidelines of the *CEQR Technical Manual*, a preliminary analysis of wastewater and stormwater conveyance and treatment is warranted if a project:

- Is located in a combined sewer area and would have an incremental increase above the No Action condition of 1,000 residential units or 250,000 square feet of commercial, public facility and institution and/or community facility space in Manhattan;
- Is located in a separately sewer area and would exceed certain incremental development thresholds;
- Is located in an area that is partially sewer or currently unsewered;
- Involves development on a site five acres or larger where the amount of impervious surface would increase;
- Would involve development on a site one acre or larger where the amount of impervious surface would increase and other criteria are met; or
- Would involve construction of a new stormwater outfall that requires federal and/or state permits.

While the project site is located in a combined sewer area in Manhattan, it would not have an incremental increase of 1,000 residential units or 250,000 square feet of commercial, public facility and institution and/or community facility space. The project area is not in a separately sewer, partially sewer, or unsewer area, and would not involve development on a site larger than one acre. Finally, the proposed project would not involve construction of a new stormwater outfall. Therefore, an analysis of wastewater and stormwater conveyance and treatment is not warranted, and the proposed project would not result in significant adverse impacts to wastewater or stormwater systems. *